

D962 Uncoiler




Application

Apparatus for facilitating the implementation of PER and multilayer rolls up to 400m. It is especially recommended for underfloor heating installation.

Description

- Made of square tubes of 25mm section.
- Comes disassembled for easy transport, installation is easy and fast.
- Once mounted, its size is 1,20x1,20 m.
- Weight 7kg

Components



1. Central Tripod
2. Foot
3. Tourniquet
4. Support arm
5. Extension
6. Nut M10
7. Ear screws M10x30

Models

Item code	Description
C260001000	Pipe uncoiler for 80-400m rolls

9628 Four-armed collapsible uncoiler



Application

Apparatus for facilitating the implementation of PER and multilayer rolls up to 800m. It is especially recommended for underfloor heating installation.

Description

- Collapsible 4 arms decoiler, designed primarily for use with PEX tubes.
- For 200 m pipe rolls up to 600 m length,
- Can also be used for other types of tubes (eg multilayer pipe).
- Comes disassembled for easy transport, installation is easy and fast.


Technical features

Weight	Approx. 12,5kg
Size, height x length	860 x 900 mm
Max. roll height	680 mm
Min. core Ø	170 mm
Max. core Ø	700 mm
Max. ring outer Ø	1400 mm
Load bearing capacity	100 kg

Models

Item code	Description
9628000	Pipe uncoiler for 600 to 800m rolls

Installation



Manufacturer reserves the right to change any product specifications without notice.
Reprint, in whole or in part, only with permission of COMAP SA.